



KONE SIGNALIZATION

KSS 800 and KSS 900

KSS 800 SERIES SIGNALIZATION FOR ELEVATORS WITH KONE DESTINATION

Stainless steel finishing

Destination operating panel (DOP)
Surface mounted (on wall)




KSP 833

Elevator identifier (EID)



KST 830
Passive



KST 840
Active

Jamb-mounted destination indicator (JM DIN)*



KSJ 853



33 mm
(width)



KSJ 863



50 mm
(width)

* Available only with traditional DCS

Car operating panel (COP)
for **Traditional DCS**




KSC 843
Full height*

KSC 833
Full height**


Car operating panel (COP) for **Hybrid DCS**

All KDS 300 signalization components are available in flush-mounted applications.




Full height

Hall indicator (HI)



HALL LANTERN (HL)



Landing call station (LCS)



Landing call station with indicator (LCI)



Simplex

Duplex

Note: These are recommended signalization components for Hybrid configurations. For the full KDS 300 offering, please refer to the KDS 300 brochure.

*The exact height of the COP depends on the car height and the selected ceiling option.

** Available only with traditional DCS in 4 color options: copper satin, dark grey brushed, silver mirrorpolished, silver

KSS 800 SERIES SIGNALIZATION FOR ELEVATORS WITH KONE DESTINATION


Design series

Touchscreen destination operating panel (DOP)




KSP 858 also available with pedestal

Destination operating panel (DOP) Surface mounted (on wall)



Elevator identifier (EID)




Jamb-mounted destination indicator (JM DIN)*



* Available only with traditional DCS

Car operating panel (COP) for **Traditional DCS**




KSC 853
Partial height

KSC 863
Full height

*** Note:**
The exact height of the COP depends on the car height and the selected ceiling option.

Car operating panel (COP) for **Hybrid DCS**



Partial height
(scrolling dot-matrix)¹⁾

Full height
(scrolling dot-matrix)¹⁾

*** Note:**
These are the recommended signalization components for Hybrid configurations. For the full KSS D offering, please refer to the KSS D brochure (KONE Design signalization).

For the KONE Access™ solution note:

- ¹⁾ KONE Access™ can be integrated inside the KSC D23 and KSC D43 car operating panels only.
- ²⁾ Only available with scrolling dot-matrix display.


Hall lantern (HL)




Hall indicator (HI)



Destination indicator at landing (DIN L)




KSO 857
Natural color anodized




KSO 857
Black color anodized

Landing call station (LCS)



Landing call station with indicator (LCI)



Simplex

Duplex


KSS 900 SERIES SIGNALIZATION FOR ELEVATORS WITH KONE DESTINATION

Destination operating panel (DOP)
Surface mounted (on wall or on pedestal)



KSP 937
Also available with square buttons (see below)

Elevator identifier (EID)




KST 950
Available in active and passive configurations

Flush mounted (on wall)




KSP 947
Also available with round buttons (see above)

Destination indicator at landing (DIN L)



KSO 957

Touchscreen DOP D-Series
Surface mounted (on wall)



KSP 979L with keypad (white)



KSP 978P (black)

Car operating panel (COP) for **Traditional DCS**



KSC 957**
Full height

KSC 957

↑
Last digit defines the display type

5 = black and white LCD
7 = full-color LCD

Car operating panel (COP) for **Hybrid DCS**




KSC 977
Full height

Landing devices


Hall lantern (HL)



KSH 660




KSH 670¹⁾



KSH 940



KSH 950




KSH 960

Hall indicator (HI)



KSI 673, 675¹⁾



KSI 983

Hall indicator with lantern arrows



KSA 673¹⁾



KSI 977



KSI 987

¹⁾ Also available in vertical configuration.


Landing call station (LCS)



KSL 670



KSL 672
Simplex



KSL 672
Duplex



KSL 970
Flush button

Back box width in all landing call stations is 65 mm.

* **Note:**
The exact height of the COP depends on the car height and the selected ceiling option.

** KSC 955 also available with black and white display.



KONE provides innovative and eco-efficient solutions for elevators, escalators, automatic building doors and the systems that integrate them with today's intelligent buildings.

We support our customers every step of the way; from design, manufacturing and installation to maintenance and modernization. KONE is a global leader in helping our customers manage the smooth flow of people and goods throughout their buildings.

Our commitment to customers is present in all KONE solutions. This makes us a reliable partner throughout the life cycle of the building. We challenge the conventional wisdom of the industry. We are fast, flexible, and we have a well-deserved reputation as a technology leader, with such innovations as KONE MonoSpace[®], KONE NanoSpace[™] and KONE UltraRope[®].

KONE employs close to 50,000 dedicated experts to serve you globally and locally.

KONE Corporation
www.kone.com

KONE OFFICES IN SOUTH EAST ASIA

Indonesia - PT. KONE Indo Elevator

Jakarta (main office)	+61 21 6570 3990
Bali	+62 361 895 7806
Bandung	+62 22 8606 0804
Makassar	+62 411 466 2780
Surabaya	+62 31 855 6383
Yogyakarta	+62 274 284 0089

www.kone.co.id

Malaysia - KONE Elevator (M) Sdn Bhd

Kuala Lumpur (main office)	+603 7494 7500
Johor Bahru	+607 559 0885
Penang	+604 656 3222
Sabah	+6015 4818 9128

www.kone.my

Philippines - KPI Elevators, Inc.

Makati City (main office)	+632 811 2929
Cebu	+63 32 233 5790

www.kone.ph

Singapore - KONE Pte Ltd

Singapore	+65 6424 6246
-----------	---------------

www.kone.sg

Thailand - KONE Public Company Limited

Bangkok	+66 2784 6500
---------	---------------

www.kone.co.th

Vietnam - KONE Vietnam LLC

Ho Chi Minh (main office)	+84 8 3997 5373
Hanoi	+84 4 3974 9445

www.kone.vn

DISTRIBUTORS IN SOUTH EAST ASIA

Brunei

Yusoki Sdn Bhd	+673 2790037
----------------	--------------

Cambodia

Comin Khmere	+855 23 885 640
--------------	-----------------

Laos

Comin Asia	+856 30 777 4777
------------	------------------

Myanmar

Octagon Automobile & Machinery Services Co., Ltd	+95 9 8631438
--	---------------

Sarawak(Malaysia)

Elebest Engineering Sdn Bhd	+60 82 365836
-----------------------------	---------------